

Oracle® Hospitality Suite8
Suite8 Central Manual
Release 8.9

July 2015

Copyright © 1987, 2015, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	4
Audience	4
Customer Support	4
Documentation	4
Revision History	4
1 Suite8 Central	5
Introduction	5
Remote Profiles	5
Single Remote Reservation.....	7
Multiple Remote Reservation	7
Remote Availability	7
Statistic Upload	7
Reservation Upload	8
Remote Conference Diary	8
2 Setup	9
Prerequisites.....	9
Profile Match Point Setup	12
Profile Merge Setup	21
Profile Merge Setup	21
Interface profile merge rules sets	21
Local Profile Merge Setup	22
Remote profile check and resync setup	22
Remote Profile Merge Setup.....	23
Partner Hotels	24
Global Settings - Suite8 Central	28
Suite8 Central 1 Tab Master Hotel.....	28
Suite8 Central 1 Tab Partner Hotel.....	32
3 Customer Profiles	37
Customer Profiles Partner Properties	39
Merge.....	41
CRM Duplicates.....	43
Remote Profile Search.....	45
HTML Files.....	45
4 Fidelio Server - Activity Log	47
5 Index	49

Preface

Audience

This user manual is intended for system users and system administrators.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com/>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Documentation

Oracle Hospitality product documentation is available on the Oracle Help Center at

<http://docs.oracle.com>

Revision History

Date	Description of Change
July, 2005	8.5.0.0 - First Issue Small Business Edition
May, 2008	8.7 - Updated for Version 8.7
June, 2008	8.7.3.1 - Updated for Version 8.7.3.1
May, 2009	8.8 - Updates for Version 8.8
Sept, 2010	8.8 - Updates for Oracle 11gR1
Jan, 2012	8.9 - Updated for Version 8.9
Nov, 2012	8.9 - New cover page
July, 2015	8.9 - Oracle template applied

1 Suite8 Central

Introduction

Suite8 Central is a tool used to connect multiple properties. It is designed for profile synchronization, placing individual reservations in different properties, checking availability and conference diary, if CCM License is activated, in multiple properties, uploading reservations as well as exchanging statistics within a hotel chain or between multiple properties.

With Suite8 Central, all profiles are stored in the local database of each property. Exchange of profiles stored in the master property is limited to a subset of profile information configured via translation tables. Each property can access all profiles and profiles are shown in the local profile format. Chain wide statistics are limited to the master hotel. Cross selling is available by returning rate availability from the requested properties. Fidelio Suite8 allows searching of available rates based on date range, number of adults and children as well as placing reservations in the different connected properties. Statistical information, future reservations and history reservation data can be uploaded from the partner hotels to the master property. Reports such as Revenue, Manager and Cross Reference Statistics can then be worked on for the whole chain at the master hotel. If the CCM License is activated, Conference diaries from the different properties can be looked at.

Note: Profiles & Statistics upload for Suite8 Central is also available even if only the CCM license is used.

Suite8 Central comes with two licenses:

- Suite8 Central Profiles & Statistics
- Suite8 Central Cross Reservations & Availability

There are two options to install Suite8 Central and the decision should be made on the number of profiles which will be reached in the master:

- Either one active hotel becomes the master. This is recommended only for very small Hotel Connector Installations
- Or a dedicated master hotel where no active Property Management System is running, purely consolidation of the profiles and statistics will be performed. This is recommended for bigger Suite8 Central Installations

Suite8 Central Profiles & Statistics

- Profile
- Stay
- Statistic
- Revenue
- Manager Report

Suite8 Central Cross Reservations & Availability

- Availability
- Cross reservations

Remote Profiles

This option is only available for partner hotels. It consists of 3 options:

- Synchronization
- Synchronization Log
- Translation Test

Synchronization

Select this option to run profile synchronization with the Master Hotel. If a global profile is selected all links, such as family, individual or company linked profiles will be synchronised with the global profile. Each time a reservation is made using a global profile or a profile which has been uploaded, the profile information will be synchronised.

Remote profile synchronization dialog box

Field	Definition
Last synchronization	
Last time of profile synchronization on client	Shows the last time profiles have been synchronised on the client
Last time of profile synchronization on server	Shows the last time profiles have been synchronised with the master
Ignore last synch date. Check every profile	Select this field to ignore the last synchronization and check every profile

Profile Status screen

Click the NEXT button to open the profile status screen:

Button	Definition
Edit	Select a profile and click the Edit button to edit the profile
Merge	Select a profile and click the Merge button to merge the profile
Rules	Click the Rules button to view the merge rules for matched but not merged profiles
Refresh	Click the Refresh button to refresh the screen
Check box/Status	
Out of date	Profiles modified at remote hotel and not changed locally. Upload merge rules are applied
Modified	Profiles modified locally and not changed at remote hotel. Download merge rules are applied
Merge	Profiles modified both locally and at remote hotel. Must be merged manually with visual merge screen.
Local only	New profiles not yet uploaded or profiles for which no match point or upload points have been calculated since last change.

Synchronization Log

Select this option to view the synchronization log. This option is only used in partner hotels.

Translation Test

Select this option to perform a test of the translation tables with the master. All translation tables will be checked and a list of not assigned translation tables will display.

Single Remote Reservation

Use this option to create a reservation in one remote property.

To create a reservation in one remote property:

1. Click the SUITE8 CENTRAL menu and select SINGLE REMOTE RESERVATION to display the Calendar screen.
2. Under Hotel, select the property from the drop-down list of all connected hotels for the reservation.
3. After selection and entering the reservation and rate query the request is processed to the selected partner hotel and returns rate availability for all available rates of the selected hotel.
4. Select a rate to open the profile search screen in the remote hotel, the selected profile from the remote hotel will be synchronised.
5. Fill out the reservation details and click OK to finish the remote reservation.
6. If the reservation is made successfully, confirm message with the confirmation number is displayed.

Multiple Remote Reservation

Use this option to request a reservation in one or more remote properties.

To create a reservation in one or more remote properties:

1. Click the SUITE8 CENTRAL menu and select MULTIPLE REMOTE RESERVATION to display the Calendar screen.
2. Under Hotel, select the properties from the drop-down list of all connected hotels for which you would like to see availability.
3. After selection and entering the reservation and rate query the request is processed to the selected partner hotels and returns rate availability for all available rates of the selected hotels.
4. Select a rate in a property for the reservation and click the SELECT button. The selected profile from the remote hotel will be synchronised.
5. Fill out the reservation details and click OK to finish the remote reservation.
6. If the reservation is made successfully, confirm message with the confirmation number is displayed.

Remote Availability

This option is used to check availability in all connected partner hotels.


Statistic Upload

This option is used to upload statistical information from the partner hotels to the master property. Reports such as Revenue, Manager and Cross Reference Statistics can then be worked on for the whole chain at the master hotel.

Note: Statistic Upload can only be performed if the Global Setting: UPLOAD STATISTICS TO THE MASTER HOTEL has been activated at the partner hotel.

Reservation Upload

This option is used to upload future and historical reservation data



Note: This option is not available in the master hotel.

Remote Conference Diary

This option allows the conference diary to be viewed in remote properties, and is only available if CCM license is activated and the properties have been configured for CONFERENCE DIARY VIEW under Setup → Configuration → Miscellaneous → Partner Hotels.

Selecting Remote Conference Diary opens the diary of the master hotel by default. Additional hotels can be activated under the option SELECTED HOTELS and pressing the REFRESH button. The properties will be checked for function spaces, events and closed periods. The diary is opened by default on the system date with start time and default loaded days taken from Global Settings → Conference. Activating the HTML check box shows the html by clicking on the event. To close the html the check-box has to be cleared.

Prerequisites

XML Interface Server

Communication is performed using Fidelio Suite8 XML Interface which has to be installed at the master and all partner hotels

- See hard ware requirements for V8 clients
- Microsoft Internet Information Server v 5.0 or higher

Or

- Apache 1.3.x
- MSXML 3.0 (preinstalled with Windows XP)

Tips & Support for the XML Interface Server on Windows 2003

Using Windows Server 2003 requires the following action:

1. Open ADMINISTRATIVE TOOLS → INTERNET INFORMATION SERVICES (IIS) MANGER.
2. Select WEB SERVICE EXTENSION.
3. Select ALLOW ALL UNKNOWN ISAPI EXTENSIONS from the right mouse short cut menu
 - Microsoft Internet Information Server v 5.0 or higher
 - Microsoft .Net Framework 1.1

In a first step the master hotel has to be configured. If the master acts as an active hotel, it is necessary first to clean the profile database by using duplication check. For all connected hotels, the profiles have to be clean and a clear structure on how to enter profile information has to exist before activating Suite8 Central. Profile qualifier sets have to be configured to run duplication check. These tasks have to be done in the master and in each property individually. In a second step profile match sets are defined for profile upload at all partner hotels and a profile match set for remote profiles at the master hotel.

Configuration includes:

- Defining profile matches
- Setting up connection information
- Configuration of Translation Table for the profile information

Defining profile matches

Profile match sets base on a point system. A total number of points can be distributed to fields by assigning points to each field. For Suite8 Central a local profile match set is required in each property for duplication check, a remote profile qualifier at the master hotel and an upload qualifier for the profiles uploaded from partner hotels to the master hotel.

Setting up connection information

Data exchange is performed via Fidelio Suite8 XML Interface. It is possible to configure the connection information at the master property and when all XML Interfaces are up and running, getting the information of all connected partner hotels from the master.

Note: Please make sure that all properties use a secure Internet Connection (ssl).

Configuration of Translation Table for the profile information

Profile synchronization is performed by means of translation tables, once the master and partner hotels have been defined for connection, profile match sets configured and xml interfaces up and running, the translation tables can be set up for each hotel at the master hotel. Translation tables are defined from the master hotel to the partner hotel and vice versa.

Translation is performed using the following criteria:

- Address Types
- Countries
- Communication Types
- Profile Types
- Note Categories, the note category has to be marked for synchronization
- Individual Link Roles
- Languages
- Attribute Categories
- Rate Codes
- Preferences
- Activity Types
- Activity show as category
- Membership Types
- Attributes

Translation tables are defined at the master hotel by selecting a partner hotel and pressing **SETUP TRANSLATION** button from the Partner Hotel dialog box.

Master & Partner Hotels

1. Activate the license codes for Suite8 Central.
 - Suite8 Central Profiles and Statistics
 - Suite8 Central Cross reservations and availability
2. Configure FIDELIO XML INTERFACE.
3. Double click on FIDELIOWEBAPPSETUP.EXE on the server machine.
4. Select DB SETUP from the OPTIONS Menu.
5. Configure the Database connection details.
6. Select ALLOWED WEB APPLICATIONS from the OPTIONS Menu.
7. Press the NEW button.
8. Enter FIDELIOXMLINTERFACE.DATAHANDLER in the object name field.
9. Close the FIDELIOWEBAPPSETUP.

Define a Local and Remote profile match

A local and a remote profile qualifier have to be defined via the option **PROFILE MATCH POINT SETUP** under Setup → Configuration → Miscellaneous. The local profile qualifier is used for duplication check in each hotel before activating profile synchronization. Once Suite8 Central is up and running, the duplication check should only be used at the master property
Run duplication check, for each property

A clean profile database is mandatory with Suite8 Central

Configure partner hotels and setup Translation

XML Interfaces have to be up and running at the partner and the master hotel in order to configure translation tables for the corresponding property.

Setup translation is only available at the master hotel via the option **SETUP TRANSLATION** under Setup → Configuration → Miscellaneous → Partner Hotel.

However the translation can be tested from each partner property, using **TRANSLATION TEST** from the Suite8 Central drop down menu under **REMOTE PROFILES**.

Configure Partner Hotels


Under Miscellaneous → Partner Hotels, the partner hotels can press **GET FROM SERVER** button to receive all connection information from the other connected partner hotels once the master is configured and connection details to the master have been entered.

After all partner hotels have been added, each one needs to be edited and configured

Partner Hotels edit dialog box

Field	Definition
Code	The code of the partner hotel
Name	The name of the partner hotel
URL	The URL address for the connection, for example if the XML Interface runs on the master hotel it is: http://the ip address of the partner hotel: the port/V8/FidelioIISWrapper.dll/FidelioXMLInterface.DataHandler?ic=the code of the hotel
User	The user has to exist in the corresponding hotel
Password	The password for the user in the partner hotel
Active	Defines if the hotel is active or not
Profile Lookup	Defines if profiles can be looked up in this hotel
Remote reservation	Defines if remote reservations can be done in this hotel
Remote Availability	Defines if availability can be checked for this hotel
Conference diary	Defines if Conference diary can be checked for this hotel

With Fidelio Server the profile synchronization process and reservation upload will take place automatically.



To configure database connection, select the option to configure and press the SETUP button.



Profile Match Point Setup

This option is used to define match sets for profiles and is accessible via the MISCELLANEOUS section of the configuration menu. Profile match sets are required for duplication check, the web booking engine: Fidelio Suite8 home page, the V8 Online Interface and Suite8 Central functionality. Each module requires its own type of profile match set. Match sets serve for qualifying profiles.


For example, for Suite8 Central a local profile match and a remote profile match have to be defined on the master hotel and on the partner hotels a local profile match and an upload qualifier match. Profile match sets are based on a point system, a total number of points is distributed to different fields on the profile.

Distributing all 1000 points only to the fields: First and Last name does not lead to successfully matches, because combination of frequent first and last names exist all over the world. Therefore the address information has to be added to the match. A normal match as used with Fidelio Suite8 Homepage requires last and first name, address and credit card information.

How to configure a profile match

1. Double-click on MISCELLANEOUS in the Fidelio Suite8 Configuration main menu to display the miscellaneous options.
2. Click on PROFILE MATCH POINT SETUP to display the profile match type screen.
3. Click NEW from the menu on the right.

The Profile Match Type selection screen is displayed with the profile match types.



4. Select the required profile match type and click OK.

Depending on the profile match type selected, the appropriate Profile Match Point Setup dialog box is displayed.

Profile Match Types

Type	Definition
Local profile match	Match Point Setup used for duplication check. Defines the point distribution for the local profile match qualification when comparing potential duplicate profiles. For Suite8 Central, this match set needs to be defined in the master and all partner hotels.
Remote profile match	Match Point Setup used for Suite8 Central only, it is only available for the property defined as master hotel. It defines the point distribution for the remote profile match
Upload Qualifier	Match Point Setup used for Suite8 Central. Defines the profile match qualifier for the upload of profiles to the master hotel.
Miscellaneous Interfaces	Profile match set used by XML interface for Fidelio Suite8 home page & the V8 Online Interface. This profile match defines a full (100%) and short (partial match) for the fields

Local Profile Match Point Setup

- For the profile match set types Local and Remote, points are distributed and additional priorities with conditions to these fields can be set.

Profile Match Point Setup

Code: TUI
 Description: TUI Interface
 Match limit: 1,000

Case sensitive
 Similarity %: 0
 Filters connected with operator "or"
 Separate rules for companies

Similarity filters

Individual profiles
 Company profiles

Copy all values

Points: Field Value Points

Value edit: 0

Field	Equal	Substring	Sub anywhere	Similar	Mandatory	Filter
Name 1	500	250				
Name 2						
Name 3	250	150				
Key name						
Search name						
Customer number						
Active						
Customer Type						
Language Code						
Title						

Upload Qualifier Profile Match Point Setup

- The profile type Upload Qualifier requires point distribution for the fields which should be filled. On the tab: Field Value Points, additional upload qualifier can be defined. For example to also include profiles if a certain field is filled with a certain condition

Profile Match Point Setup

Code: SFQ
 Description: Sales Force Qualifier

Separate rules for companies

Individual profiles
 Company profiles

Copy all values

Points: Field Value Points

Value edit: 0

Field	Entered
Name 1	
Name 2	
Name 3	
Key name	
Search name	
Customer number	
Active	
Language Code	
Title	
Birth date	

Miscellaneous Interfaces Profile Match Configuration

- The profile type Miscellaneous Interfaces requires definition of a full and short match points by field.

Profile Match Point Setup dialog box for the types Local and Remote

Field	Definition
Code	The code for the profile match set
Description	The description of the profile match set
Match limit	The minimum number of qualifier points a profile should have. All profiles not matching this limit will not qualify. For example not shown as a duplicate profile.
Case sensitive	Defines if the search should be case sensitive. Most properties do not use consistent spelling when entering guest profiles therefore it is recommended to clear this field.
Similarity %	The similarity percentage for the field. If this is empty, the default from Global Settings → Suite8 Central tab will be used.
Filters connected with operator 'or'	This is a multiple filter option and is defined per rule. The Default is 86 behaviours that connect with 'and' making every filter field mandatory if it is not empty. With the option: FILTERS CONNECTED WITH OPERATOR 'OR' only one of the filtered fields has to be equal (or similar depending on the Similarity filter setting).
Separate rules for companies	Defines that the points can be distributed for individual and for company profiles separately. Note: Using multiple filters slows down the calculation process.
Similarity filters	Activating Similarity filters allows more precise definition of fields selected as 'Filter'. When activating the Similarity filters, the next two options for filtered fields are available:
Maximum allowed difference in percentage	Setting the percentage to '0' means no difference is allowed for filtered fields and setting the value to '100' means no match required for filtered fields.

First n letters must match	This option allows defining a number of characters that have to match in the beginning of filtered fields. For example setting the value to 3 means the first 3 characters have to match. The more letters are entered, the faster the search can process.
Individual Profiles Company Profiles	Only displayed if the option SEPARATE RULES FOR COMPANIES is selected. The points are allocated per profile type.
Points	
Value edit	Enter the number of points for the selected fields.
Set value	Press this button to apply the number of points from value edit to the selected fields.
Check	Defines if a field should be checked. Applies only to Mandatory and Filter selections.
Uncheck	Defines if a field should be cleared. Applies only to Mandatory and Filter selections.
Equal	Exact match.
Substring	The match is performed by searching a substring.
Sub anywhere	The match is done by searching a string, which can be anywhere in the field.
Similar	The match is done by searching a string similarity. The string similarity is set in the field SIMILARITY %, if nothing is defined; the default string similarity percentage set in the Global Settings → Suite8 Central tab is used.
Mandatory	If this is selected, a match only succeeds if the points are equal to the points set in the field.
Filter	If this is selected it is also an equal match but it is used as a where condition. At least one field has to be selected as Filter otherwise the duplicate check does not work; it is possible to set several fields as filter.
Field value points	This option can be used as an extra upload qualifier. For example to also include profiles if a certain field is filled with a certain condition. Or companies and individuals are included in the same match point setup but not using the same fields For example name 3 is used on company profiles therefore this field can be added to the match set to include more profiles. It can also be used to define points for different membership types or for assigning points if an individual or company link exists.
Field name	The name of the field that should be included in the match.
Value	The condition for the field.
Similarity %	The similarity percentage for the field. If this is empty, the default from global settings will be used.
Points	The number of points assigned to the field.

Priority Conditions for Local and Remote setup

The priorities for the conditions are as follows:

- If equal is filled, then equal points are calculated.
- If all fields are included in the point distribution, then first equal, then sub string points, then sub anywhere points are calculated.
- If only similar is filled then only the points for similarity match are calculated.

If all fields are included in the point distribution, the content of each field is compared and decided which point calculation to perform, for example for an address entered as follows on the source profile:

Source	Target	Check to Perform
Smith	Smith	Equal
Jon	Jona	Substring
Berlin	Berlin	Similarity
030 1232	0301232	Sub anywhere

Note: There could be two reasons for 0 points, meaning no profile found: No match for the condition or Not configured.

Profile Match Point Setup dialog box for the type Upload Qualifier

Field	Definition
Code	The code for the profile match set
Description	The description of the profile match set.
Separate rules for companies	Defines that the points can be distributed for individual and for company profiles separately. Note: Using multiple filters slows down the calculation process.
Individual Profiles Company Profiles	Only displayed if the option SEPARATE RULES FOR COMPANIES is selected. The points are allocated per profile type.
Match limit	The minimum number of qualifier points a profile should have. All profiles not matching this limit will not qualify. For example not shown as a duplicate.
Case sensitive	Defines if the search should be case sensitive. Most properties do not use consistent spelling when entering guest profiles therefore it is recommended to clear this field.
Value edit	Enter the number of points for the selected fields.
Set value	Press this button to apply the number of points from value edit to the selected fields.
Check	Defines if a field should be checked. Applies only to Mandatory and Filter selections.
Uncheck	Defines if a field should be cleared. Applies only to Mandatory and Filter selections.
Points	
Entered	The field has to be filled
Field value points	This option can be used as an extra upload qualifier. For example to also include profiles if a certain field is filled with a certain condition. Or companies and individuals are included in the same match point setup but not using the same fields For example name 3 is used on company profiles therefore this field can be added to the match set to include more profiles.
Field name	The name of the field that should be uploaded. Available fields can be selected from the drop down list
Value	The value for the field.
Similarity %	The similarity percentage for the field.
Points	The points assigned to the field.

Fields available on local, remote and upload qualifier

The following fields are available for the point's distribution:


- Name 1
- Name 2
- Name 3
- Key Name
- Search Name
- Customer Number
- Active
- Language Code
- Title
- Birth date
- Birth Place
- Position
- Department
- Mailing Name
- Address Greeting
- Letter Greeting
- Gender
- Tax free
- Address City
- Address Zip
- Address Street 1
- Address Street 2
- Address Street 3
- Country ISO 2
- Country ISO 3
- Country Code
- Communication Value
- Passport Value
- Has comp./ind. link

Profile Match Point Setup dialog box for the type Miscellaneous Interfaces


Field	Definition
Profile Match	For V8 Online Interface, this is the CRS Code, for Fidelio Suite8 home page, the code for the profile match.
Description	Description of the profile match code.
Number of Points	Defines the total number of points required to identify a profile. Default is set to 1000 (limit).
Full Match	Defines the number of points for a 100% match of criteria.
Short Match	Defines the number of points for a partial match, for example if the address line 1 is 'Andersson St.' and the match found is 'Anderson St.'
Profile Details	
First Name	The full match and short match points assigned to the first name.
Last Name	The full match and short match points assigned to the last name.
Middle Name	The full match and short match points assigned to the middle name.
Key Name	The full match and short match points assigned to the key name.
Search Name	The full match and short match points assigned to the search name.
Address	
City	The full match and short match points assigned to the city.
Zip	The full match and short match points assigned to the first name.
Address line 1	The full match and short match points assigned to the address line 1.
Address line 2	The full match and short match points assigned to the address line 2.
Address line 3	The full match and short match points assigned to the address line 3.
Country Code	The full match and short match points assigned to the country code.
State Code	The full match and short match points assigned to the state code.
Personal Documents	
Number	The full match points assigned to the id number.
Credit Card	
Number	The full match points assigned to the credit card number.
Membership	
Number	The full match points assigned to the membership card number.

How to create an expression by combining fields

1. On the CONFIGURATION menu click MISCELLANEOUS, and then click PROFILE MATCH POINT SETUP.
2. Select the required profile match setup.
3. Click NEW to display the list of available fields.



4. Select the fields to combine, for example, *xmnr_value* and *xmty_shortdesc*. (Membership number value and Membership type code)
5. Click OK, the New expression dialog box is displayed.
6. Enter the required condition and click OK; in this example the condition is: =MVZ



7. Allocate the points and click SET VALUE.

With this expression points will be assigned if the member number and the member type are identical and if the member type is 'MVZ'.

The success of a profile match depends on the quality of data and the configuration of the profile match. To identify a profile, all criteria entered on the profile match configuration and on the extra search criteria tab are used. For V8 Online Interface this data is provided by the Central Reservation System, for Fidelio Suite8 home page the data is entered by the user.

Additional Information - V8 Online Interface

Note: For the V8 Online Interface, profile matches are defined per mapper.

For V8 Online Interface, the Central Reservation System Manual should be consulted to learn about the information it can provide before point distribution. For example in a Resort Hotel, most of the guests are families and their profiles differ mainly only on the first name. Therefore all five criteria: First Name, Last Name, City, Zip and Address line 1 will sum up to the 1000 points. A higher score of points can be assigned to the Personal Document number, Credit Card or membership number, as these are unique for the guest. The button EXTRA SEARCH CRITERIA offers more detail criteria, such as customer number, title or address greeting. However, before distributing points on this tab, please check if the Central Reservation System can provide this information.

Profile Merge Setup

Profile Merge Setup


When comparing potential duplicate profiles the original (Source) is displayed on the left and the one to merge (Target) on the right.

The profile merge setup defines the actual merge and is divided as follows:

- Interface profile merge rule sets
This profile merge rule set defines the merge rules used by xml interface and v8 online interface
- Local profile merge setup
This profile merge rule set is used for duplicate profile match and merges
- Remote profile check and resynch setup
This rule is used when running profile check and can even run when automatic profile synchronisation is activated on the Fidelio server. It simplifies updating profiles which were already synchronised and apply new or changed codes for example after an update.
- Remote profile merge setup
This rule is used for profile synchronization with the master hotel.

Interface profile merge rules sets

The interface profile merge rule set defines the merge rules used by XML Interface or Fidelio Suite8 Online Interface and is accessible via the MISCELLANEOUS section of the configuration menu. All available fields from the profile for the merge are listed and these settings are used when profiles are matched, but not yet merged.



Duplicate Merge Options

Field	Definition
Ignore	The merge ignores the contents in the fields.
Copy	Copies the information from the source profile to the target profile.
Overwrite	Overwrites the target value even if the target value is not empty and also if the source value is empty. Note: Fields containing data in the target profile but not in the source will be cleared.


Local Profile Merge Setup


This option is used to configure the rules for duplicate profile match and merge and is accessible via the MISCELLANEOUS section of the configuration menu.


All available fields from the profile for the merge are listed and these settings are used when profiles are matched.

Name	Description	Duplicate merge
xcms_name1	Name 1	Copy
xcms_name2	Name 2	Copy
xcms_name3	Name 3	Copy
xcms_active	Active	Copy
xcms_inactreason	Inactive reason	Copy
xcms_inacttime	Inactive time	Copy
xcms_custnum	Customer number	Copy
xcms_keyname	Key name	Copy
xcms_searchname	Search name	Copy
xcms_revpotcat	Potential Revenu...	Copy
xcms_revpotrms	Potential Revenu...	Copy
xcms_viewfo	Visible in Front Of...	Copy
xcms_viewscc	Visible in CCM	Copy
xcms_pref_zcur_id	Preferred currency	Copy
xcms_xcou_id_nation	Nation	Copy
xcms_creditstat	Credit status	Copy
xcms_credreason	Credit reason	Copy

Duplicate merge

 Ignore

 Copy

 Overwrite

Duplicate Merge Options

Field	Definition
Ignore	The merge ignores the contents in the fields.
Copy	Copies the information from the source profile to the target profile.
Overwrite	Overwrites the target value even if the target value is not empty and also if the source value is empty. Note: Fields containing data in the target profile but not in the source will be cleared.


Remote profile check and resync setup


This option is used to configure the rules for profile synchronization with the master hotel and is accessible via the MISCELLANEOUS section of the configuration menu.

This rule is used when running profile check and can even run when automatic profile synchronisation is activated on the fidelio server. It is also used when upon **Resynchronization**.


Name	Description	Partner entered only	Master entered only	Both entered
xcms_name1	Name 1	Ignore	Ignore	Ignore
xcms_name2	Name 2	Ignore	Ignore	Ignore
xcms_name3	Name 3	Ignore	Ignore	Ignore
xcms_active	Active	Ignore	Ignore	Ignore
xcms_inactreason	Inactive reason	Ignore	Ignore	Ignore
xcms_inacttime	Inactive time	Ignore	Ignore	Ignore
xcms_creditstat	Credit status	Ignore	Ignore	Ignore
xcms_credreason	Credit reason	Ignore	Ignore	Ignore
xcms_credtime	Credit status cha...	Ignore	Ignore	Ignore
xcms_wlan_id	Language	Ignore	Ignore	Ignore
xcms_nomailing	No mailing	Ignore	Ignore	Ignore
xadr	Address	Ignore	Ignore	Ignore
xcom	Communication	Ignore	Ignore	Ignore
xcno	Notes	Ignore	Ignore	Ignore
xcid_title	Title	Ignore	Ignore	Ignore
xcid_addrgreet	Address greeting	Ignore	Ignore	Ignore
xcid_lettgreet	Letter greeting	Ignore	Ignore	Ignore


Partner entered only:

 Ignore


 Copy


Master entered only:


 Ignore

 Copy

Both entered:

 Ignore

 Apply Master Value

 Apply Partner Value

Remote Profile Check Options

Field	Definition
Partner entered only:	
Ignore	The merge ignores the contents in the fields.
Copy	Copies the information from the partner profile to the master profile.
Master entered only:	
Ignore	The merge ignores the contents in the fields.
Copy	Copies the information from the master profile to the partner profile.
Both Entered:	
Ignore	The merge ignores the contents in the fields.
Apply Partner Value	Applies the value in the partner profile to the profile in the master.
Apply Master Value	Applies the value in the master profile to the profile in the partner.

Remote Profile Merge Setup

This option is used to configure the rules for profile synchronization with the master hotel and is accessible via the MISCELLANEOUS section of the configuration menu.

These settings are used when profiles are matched, but not yet merged.

Name	Description	Partner entered only	Master entered only	Both entered	
xcms_name1	Name 1	Ignore	Ignore	Ignore	Partner entered only: <input type="button" value="Ignore"/> <input type="button" value="Copy"/> Master entered only: <input type="button" value="Ignore"/> <input type="button" value="Copy"/> Both entered: <input type="button" value="Ignore"/> <input type="button" value="Apply Master Value"/> <input type="button" value="Apply Partner Value"/> Synchronization: <input type="button" value="Ignore"/> <input type="button" value="Upload"/> <input type="button" value="Download"/> <input type="button" value="Upload and Download"/>
xcms_name2	Name 2	Ignore	Ignore	Ignore	
xcms_name3	Name 3	Ignore	Ignore	Ignore	
xcms_active	Active	Ignore	Ignore	Ignore	
xcms_inactreason	Inactive reason	Ignore	Ignore	Ignore	
xcms_inacttime	Inactive time	Ignore	Ignore	Ignore	
xcms_creditstat	Credit status	Ignore	Ignore	Ignore	
xcms_credreason	Credit reason	Ignore	Ignore	Ignore	
xcms_credtime	Credit status cha...	Ignore	Ignore	Ignore	
xcms_wlan_id	Language	Ignore	Ignore	Ignore	
xcms_nomailing	No mailing	Ignore	Ignore	Ignore	
xadr	Address	Ignore	Ignore	Ignore	
xcom	Communication	Ignore	Ignore	Ignore	
xcno	Notes	Ignore	Ignore	Ignore	
xcid_title	Title	Ignore	Ignore	Ignore	
xcid_addrgreet	Address greeting	Ignore	Ignore	Ignore	
xcid_lettgreet	Letter greeting	Ignore	Ignore	Ignore	
xcid_birthtime	Birth date	Ignore	Ignore	Ignore	
xcid_birthplace	Birth place	Ignore	Ignore	Ignore	
xcid_position	Position	Ignore	Ignore	Ignore	
xcid_department	Department	Ignore	Ignore	Ignore	
xcid_family	Family	Ignore	Ignore	Ignore	
xcid_sex	Gender	Ignore	Ignore	Ignore	
xiil	Individual - individ...	Ignore	Ignore	Ignore	

Remote Profile Merge Options

Field	Definition
Partner entered only:	
Ignore	The merge ignores the contents in the fields.
Copy	Copies the information from the partner profile to the master profile.
Overwrite	Overwrites the target value even if the target value is not empty and also if the source value is empty. Note: Fields containing data in the target profile but not in the source will be cleared.
Master entered only:	
Ignore	The merge ignores the contents in the fields.
Copy	Copies the information from the master profile to the partner profile.
Both Entered:	
Ignore	The merge ignores the contents in the fields.
Apply Partner Value	Applies the value in the partner profile to the profile in the master.
Apply Master Value	Applies the value in the master profile to the profile in the partner.
Synchronization:	
Ignore	The synchronization ignores the contents in the fields.
Upload	During synchronization the information is uploaded to the master.
Download	During synchronization the information is downloaded from the master.
Upload and Download	During synchronization the information is both uploaded and downloaded.

Partner Hotels

This option is used to configure the partner and master hotel connections for Suite8 Central and is accessible via the MISCELLANEOUS section of the configuration menu.

The connection information for the partner hotels can be retrieved with the GET FROM SERVER button. After import, each hotel as well as the master has to be configured for the connection. A valid user name and password has to be entered.

Data exchange is performed via the Fidelio Suite8 XML Interface. It is possible to configure the connection information at the master property and when all XML Interfaces are up and running, get the information of all connected partner properties from the master.

Partner Hotels dialog box

Field	Definition
Code	The code for the partner hotel.
Name	The name of the partner hotel.
URL	Defines the URL address for the connection, for example if the XML Interface runs on the master hotel it is: http://the IP address of the partner hotel: the port/V8/FidelioIISWrapper.dll/FidelioXMLInterface.DataHandler?ic=the code of the hotel.
Alternate URL	The alternate URL address.
User	The user for the partner hotel. The user has to exist in the partner hotel.
Password	The password for the user in the partner hotel.
Active	Defines if the hotel is active or not.
Profile Lookup	Defines if profiles can be looked up in this hotel.
Remote Reservation	Defines if remote reservations can be made in this hotel.
Remote Availability	Defines if availability can be checked for this hotel.
Conference Diary	Defines if the hotel is to be displayed in the conference diary. Note: At least one hotel has to be defined to display the conference diary in order to activate the option REMOTE CONFERENCE DIARY under the Suite8 Central menu.

Setup Translation

The option SETUP TRANSLATION on the Partner Hotels screen is available only at the master hotel and is accessible via the MISCELLANEOUS section of the configuration menu. XML Interfaces have to be up and running at the partner and the master hotel in order to configure translation tables for the corresponding property.

Profile synchronization is performed by means of translation tables, once the master and partner hotels have been defined for connection and profile match sets configured the translation tables can be set up for each hotel at the master hotel. Translation tables are defined from the master hotel to the partner hotel and vice versa.

Translation is available for the following options on profiles:

- Address Types
- Countries
- Communication Types
- Profile Types
- Note Categories, the note category has to be marked for synchronization
- Individual Link Roles
- Languages
- Attribute Categories
- Rate Codes
- Attributes

If the short descriptions match, it is faster to use the AUTOMATIC button instead of matching the entries one by one manually. Using AUTO SETUP on the right side will match all translation tables.

Note: When setting up translation tables for countries, the field ISO3 is used for country from the table XCOU.

Remote Hotel Translation Config

Hotel: ATR Atrium Hotel, Mainz

Configurations: Address types (KATY)

OK

Auto Setup

From master to partner		Link Clear Automatic	Available entries
Master entry	Partner entry		Name
ADR Adresse	ADR Adresse		ADR Adresse
MAI Mailingadresse	MAI Mailingadr		MAI Mailingadresse
POS Postfachadresse	POS Postfacha		POS Postfachadresse
REG Rechnungsadresse	REG Rechnung		PAD Privatadresse
			REG Rechnungsadresse

From partner to master		Link Clear Automatic	Available entries
Partner entry	M		Name
ADR Adresse	A		ADR Adresse
MAI Mailingadresse	M		MAI Mailingadresse
POS Postfachadresse	Pi		POS Postfachadresse
PAD Privatadresse	A		REG Rechnungsadresse
REG Rechnungsadresse	R		

Cancel

Global Settings - Suite8 Central

This option is used to configure the basic information and parameters for Suite8 Central and is accessible via the GLOBAL SETTINGS section of the configuration menu.

Suite8 Central 1 Tab Master Hotel

The options on the Suite8 Central 1 tab are used to configure the basic information and parameters for Suite8 Central, the options available are dependant upon whether this is the master hotel or a partner hotel.

Suite8 Central 1 Tab - Partner Hotel

Field	Definition	Legal Values
Html directory for web services	Defines where on the xml interface the html files are located (path on xml interface). Each hotel needs to enter the path to which the html files will be copied to be available for view on the master and other partner hotels.	Enter the path
Code of the hotel in primary db	Defines the code of the partner hotel in the master database table. This needs to be configured on each hotel with its own hotel code	Enter the hotel code

This hotel is primary	Indicates the master hotel. This is only defined on the master hotel	Check: YES Blank: NO
Configure partner hotels	Press this button to view the partner hotels configuration under Configuration → Miscellaneous → Partner Hotels.	
Profile merge rules	Press this button to view the profile merge rules defined under Configuration → Miscellaneous → Profile Merge Setup.	
Own xml interface url	The URL address of the own property is required in order to be able to clear all cached global settings in IIS (Internet Information Services Manager). The cache can be cleared from the CRS Administration Console by selecting RESET WEBSERVER CACHE.	
URL	The URL address of the XML Interface of the property.	
Alternate URL	Alternative address for the XML Interface of the property.	
User	The user name.	
Password	The password.	
Swap URL's	May be used to swap the URL and the ALTERNATE URL addresses.	
Profile synchronization		
Upload		
Max. match limit	Used for automatic Upload. Defines the max number of points for the match limit. For example if a profile is created by ignoring all messages this will check for each upload the profile again for possible duplicates.	Enter a value
Min. upload limit	Defines the minimum number of points for the match upload.	Enter a value
Linked profile upload maximum distance	Defines the maximum link level for uploading linked profiles of already synchronised profiles (with global id). If the level is set to 0, linked profiles of the profile are not uploaded or downloaded. If the level is set to 1, linked profiles of the synchronised profile are uploaded/ downloaded (1level link) If the level is set to 2, linked profiles of the linked profile from the synchronised profile are uploaded/ downloaded (2nd level link) If the level is set to 3, linked profiles of the linked profiles and their linked profiles are uploaded/ downloaded (3rd level link) and so forth	Enter a value
Linked profile download maximum distance	Defines the link level for downloading linked profiles of already synchronised profiles. See above for the values which can be set.	Enter a value

Third party profile search		Check: YES Blank: NO
Interface code		Enter the code
Synchronization employee	Defines the user for automatic synchronization.	Select from list box
Disable automatic profile merge	Defines if a profile will not automatically be merged locally if it was merged manually remotely.	Check: YES Blank: NO
Timeout (sec)	The global time out used if the xml is not responding.	
Send reservation confirmation email	Defines if an email confirmation letter is send to the guest when a remote reservation is made.	
Show confirmation screen if email has been sent	Defines if a confirmation screen is displayed once the email has been sent.	
Task and activity synchronization	Defines if Task and Activities are synchronised.	
Upload statistics currency	Upload statistics currency.	
Contract synchronization		
Central bonus point management		
Upload earned points during night audit		
Download products from central		
Upload locally changed profiles automatically	Locally changed profiles will be uploaded during night audit. Only available at partner hotels. If Fidelio Server is running, this setting does not need to be activated.	Check: YES Blank: NO
Perform automatic profile synchronization during night audit	Locally changed profiles will be synchronized automatically during night audit. If Fidelio Server is running, this setting does not need to be activated.	Check: YES Blank: NO
Upload statistics to the master hotel	Needs to be activated for statistic upload to the maser. Statistics are uploaded to the master during Night audit. Records processed are marked with Shis_imported = 1 in the history table SHIS. Statistic initialization needs to be run from the developer maintenance screen. Currently SMAN, SHIS and SRPD are transferred completely	Check: YES Blank: NO
Remote Match Check before inserting to database	Remote profiles will be checked for possible duplicates in the local database before inserting	Check: YES Blank: NO
Allow profile lookup in non primary hotels	Defines if profile lookup can be done in other connected hotels not only at the master. Only possible for hotels where PROFILE LOOK UP is activated under Partner Hotels.	Check: YES Blank: NO

Close upload log screen when finished	The screen popping up upon upload will be closed automatically. Needs to be set if PERFORM AUTOMATIC PROFILE SYNCHRONIZATION DURING NIGHT AUDIT is activated	Check: YES Blank: NO
Search remote on profiles grid	For each profile query, remote search is activated. Slows down the system, but can be deactivated on the customer profiles navigator by selecting the field DISABLE REMOTE SEARCH. Only available at partner hotels.	Check: YES Blank: NO
Coloured remote profiles	Defines the colour in which remote profiles will display	Select the colour for the remote profile
Display Remote HTML automatically	The remote html file will be displayed automatically.	Check: YES Blank: NO
Central profile initialization	Defines if profiles match between master and remote hotels will be used. Enables the profile match console on customer profiles	Check: YES Blank: NO
Display profile match numbers below matching limit	Display profiles found with less points than defined on the Limit field of the Profile Upload Qualifier. Only available at partner hotels. Should be activated	Check: YES Blank: NO
Refresh profile search behind match console	Defines if the profile search on the profile navigator will be refreshed (updated) if the match console is opened	Check: YES Blank: NO
String similarity percentage	Defines the difference allowed to be still considered as similar string. It is used for profile merge to identify if two strings are similar or not. Higher value means more differences are allowed. 0 means strings must exactly match. We recommend a value of 20 - 25. To determine the percentage of similarity, the total characters of the longest string are taken and divided by the sum of the number of keystrokes needed to make the strings equal times 100. For example the field Address street 1 can be filled with 'Green st.' 'Green street' or 'Green st'. In this case the longest string without spaces and points is 11 characters the number of keystrokes needed to match the longest string is 4. The percentage in this case would be 36.3636 $((4 * 100) / 11)$. String similarity percentage guarantees a better profile match as the 3 different ways of spelling 'street' are excluded. Note: The following characters will be ignored: `~\$! "£\$%^&*()_ - + = [] { } ; : ' @ # ~ . , < > / ? \ and space	Check: YES Blank: NO
Upload match rule	The profile merge rule setup for the upload	Select from list box
Server profile match rule	The profile merge rule setup for remote profiles. Only available at the master hotel.	Select from list box
Delay in batch processes (ms)	Defines the delay for batch process in milliseconds. When initializing the first time, the server is busy with the processes therefore we recommend to set a delay for the batch processes.	Enter a value Recommended delay is 3000
Number of Profiles in one batch between delays	Defines the number of profiles included in one batch.	Enter a value

Maximum number of profile sync retry after error		Enter a value
Recalculate profile points after edit	If activated then the points will be recalculated after editing the profile	Check: YES Blank: NO
Perform automatic profile merges for profile synchronization	Defines if profiles will be merged automatically upon profile synchronization.	Check: YES Blank: NO
Remote reservation search on reservation navigator	Defines if remote reservation search is enabled on the reservation navigator	Check: YES Blank: NO
Central correspondence lookup	Defines if central correspondence lookup is enabled in CRS installations.	Check: YES Blank: NO

Suite8 Central 1 Tab Partner Hotel

The options on the Suite8 Central 1 tab are used to configure the basic information and parameters for Suite8 Central, the options available are dependant upon whether this is the master hotel or a partner hotel.

Suite8 Central 1 Tab - Partner Hotel

Field	Definition	Legal Values
Html directory for web services	Defines where on the xml interface the html files are located (path on xml interface). Each hotel needs to enter the path to which the html files will be copied to be available for view on the master and other partner hotels.	Enter the path
Code of the hotel in primary db	Defines the code of the partner hotel in the master database table. This needs to be configured on each hotel with its own hotel code	Enter the hotel code
This hotel is primary	Indicates the master hotel. This is only defined on the master hotel	Check: YES Blank: NO
Configure partner hotels	Press this button to view the partner hotels configuration under Configuration → Miscellaneous → Partner Hotels.	
Profile merge rules	Press this button to view the profile merge rules defined under Configuration → Miscellaneous → Profile Merge Setup.	
Upload locally changed profiles automatically	Locally changed profiles will be uploaded during night audit. Only available at partner hotels. If Fidelio Server is running, this setting does not need to be activated.	Check: YES Blank: NO
Perform automatic profile synchronization during night audit	Locally changed profiles will be synchronized automatically during night audit. If Fidelio Server is running, this setting does not need to be activated.	Check: YES Blank: NO

Upload statistics to the master hotel	Needs to be activated for statistic upload to the maser. Statistics are uploaded to the master during Night audit. Records processed are marked with Shis_imported = 1 in the history table SHIS. Statistic initialization needs to be run from the developer maintenance screen. Currently SMAN, SHIS and SRPD are transferred completely	Check: YES Blank: NO
Remote Match Check before inserting to database	Remote profiles will be checked for possible duplicates in the local database before inserting	Check: YES Blank: NO
Allow profile lookup in non primary hotels	Defines if Profile lookup can be done in other connected hotels not only at the master. Only possible for hotels where PROFILE LOOK UP is activated under Partner Hotels.	Check: YES Blank: NO
Close upload log screen when finished	The screen popping up upon upload will be closed automatically. Needs to be set if PERFORM AUTOMATIC PROFILE SYNCHRONIZATION DURING NIGHT AUDIT is activated	Check: YES Blank: NO
Search remote on profiles grid	For each profile query, remote search is activated. Slows down the system, but can be deactivated on the customer profiles navigator by selecting the field DISABLE REMOTE SEARCH. Only available at partner hotels.	Check: YES Blank: NO
Coloured remote profiles	Defines the colour in which remote profiles will display	Select the colour for the remote profile
Display Remote HTML automatically	The remote html file will be displayed automatically	Check: YES Blank: NO
Central profile initialization	Defines if profiles match between master and remote hotels will be used. Enables the profile match console on customer profiles	Check: YES Blank: NO
Display profile match numbers below matching limit	Display profiles found with less points than defined on the Limit field of the Profile Upload Qualifier. Only available at partner hotels. Should be activated	Check: YES Blank: NO
Refresh profile search behind match console	Defines if the profile search on the profile navigator will be refreshed (updated) if the match console is opened	Check: YES Blank: NO

String similarity percentage	<p>Defines the difference allowed to be still considered as similar string. It is used for profile merge to identify if two strings are similar or not. Higher value means more differences are allowed. 0 means strings must exactly match. We recommend a value of 20 - 25.</p> <p>To determine the percentage of similarity, the total characters of the longest string are taken and divided by the sum of the number of keystrokes needed to make the strings equal times 100.</p> <p>For example the field Address street 1 can be filled with 'Green st.' 'Green street' or 'Green st'. In this case the longest string without spaces and points is 11 characters the number of keystrokes needed to match the longest string is 4. The percentage in this case would be 36.3636 $((4 * 100) / 11)$.</p> <p>String similarity percentage guarantees a better profile match as the 3 different ways of spelling 'street' are excluded.</p> <p>Note: The following characters will be ignored: `~\$!£\$%^&*()_+=[\];: '@#~., <> / ? \ and space</p>	<p>Check: YES Blank: NO</p>
Upload match rule	The profile merge rule setup for the upload	Select from list box
Server profile match rule	The Profile merge rule setup for remote profiles. Only available at the master hotel.	Select from list box
Delay in batch processes (ms)	<p>Defines the delay for batch process in milliseconds.</p> <p>When initializing the first time, the server is busy with the processes therefore we recommend to set a delay for the batch processes.</p>	<p>Enter a value Recommended delay is 3000</p>
Number of profiles in one batch between delays	Defines the number of profiles included in one batch.	
Recalculate profile points after edit	If activated then the points will be recalculated after editing the profile	<p>Check: YES Blank: NO</p>
Perform automatic profile merges for profile synchronization	Defines if profiles will be merged automatically upon profile synchronization.	<p>Check: YES Blank: NO</p>
Remote reservation search on reservation navigator	Defines if remote reservation search is enabled on the reservation navigator	<p>Check: YES Blank: NO</p>
Profile synchronization		
Upload		
Max. match limit	Used for automatic Upload. Defines the max number of points for the match limit. For example if a profile is created by ignoring all messages this will check for each upload the profile again for possible duplicates.	
Min. upload limit	Defines the minimum number of points for the match upload.	

Linked profile upload maximum distance	<p>Defines the maximum link level for uploading linked profiles of already synchronised profiles (with global id).</p> <p>If the level is set to 0, linked profiles of the profile are not uploaded or downloaded.</p> <p>If the level is set to 1, linked profiles of the synchronised profile are uploaded/ downloaded (1level link)</p> <p>If the level is set to 2, linked profiles of the linked profile from the synchronised profile are uploaded/downloaded (2nd level link)</p> <p>If the level is set to 3, linked profiles of the linked profiles and their linked profiles are uploaded/downloaded (3rd level link) and so forth</p>	
Linked profile download maximum distance	Defines the link level for downloading linked profiles of already synchronised profiles. See above for the values which can be set.	
Upload linked profiles even if not qualified for upload	Defines if profiles will be uploaded even if they do not qualify according to the profile match.	Check: YES Blank: NO
Synchronization employee	Defines the user for automatic synchronization	Select from list box
Disable automatic profile merge locally if it was merged remotely	Defines if a profile will not automatically be merged locally if it was merged manually remotely.	Check: YES Blank: NO
Timeout (sec)	The global time out used if the xml is not responding.	
Send reservation confirmation email	Defines if an email confirmation letter is send to the guest when a remote reservation is made.	
Show confirmation screen if email has been sent	Defines if a confirmation screen is displayed once the email has been sent.	
Task and activity synchronization	Defines if Task and Activities are synchronised.	
Ignore duplicate elements when merging	Duplicate elements are ignored when merging, for example,the duplicate element will be ignored upon merging when a profile is downloaded from the master and in the partner the same communication type is entered with the same details.	
Upload statistics currency		

3 Customer Profiles

Before actually uploading profiles to the master, each partner hotel has to make sure that no duplicates will be sent to the master, therefore a local duplicate check and merge has to run before synchronizing partner hotels with the master. Once duplication check has run, it should only be activated at the Master Hotel.

The following menu options can be accessed from the Customer Profiles Navigator:

- Match
- Duplicates

Note: These options will only be available for users with the user rights duplicate elimination and central profile initialization assigned. The Duplicates option is only available if ENABLE PROFILE DUPLICATE SEARCH is activated under Global Settings → Profile 1 tab. The table's xpdt for possible duplicated and xpmi for profile match and merge initialization will be cleared after editing a profile as changes might occur while editing the profile.

Filter selections on the advanced query screen on the customer profiles navigator

Field	Condition	Value	Definition
Central Match Point	Empty	Enter a number of points for equal, greater than or smaller than	
	Not empty		
	Equal		
	Greater than		
	Smaller than		
	Not unique candidate		
	Error during synchronization		
Global Id	Empty		Each time a profile is downloaded or synchronized, it receives a global id, this refers to the field global id in the table xcms
	Not empty		
	Equal		
Upload point	Empty		Refers to field uploadpoint in the table xpmi
	Not empty		
	Equal		
	Greater than		
	Smaller than		
Duplicate	Not processed		Duplicates not processed
	Processed		Duplicates processed
	Duplicate exists		Profiles where potential Duplicates exists
	No duplicate		Profiles where no Duplicates exist

	Explicit no duplicate links	Profiles where potential duplicate exist but have been marked as not a duplicate (Profiles having xndl records.) The pot. Duplicate grid will show the linked profiles. It is possible to delete the xndl link by pressing Not a duplicate button. Profiles marked as not a duplicate, will be excluded from the duplicate search
	Duplicate points is equal to	Enter a number of points for equal
	Duplicate points is higher than	Enter a number of points for higher than
HCN - Differences between master and partner data		Displays profiles with differences between the master and partner hotel

Fields that can be added to the customer profiles grid

Field	Definition
xcms_globalid	The global id provided upon synchronization
xcms_automergeerror	Error flag indicating the date of an error during auto merge
xcms_automergeerrorid	The type of error: 0 = error, 1= merged to another profile remotely, 2 = profile was not uploaded because it had a match point sum higher than configured max match points.
xcms_automergeerrortext	The error information
xcms_centralssynctimestamp	The time stamp when the profile was synchronized
No duplicates	Profiles marked as not being a duplicate
Remote link	The remote link
Matchpoint	The match points
xpmi_candiate_xcms_id	XPMI is the Profile match and merge initialization table. The xcms id of the duplicate profile
xpmi_timestamp	The time stamp
xpmi_uploadpoint	The initial profile upload points
Duplicaterecords	The number of duplicate records
Duplicatecount	
Duplicatebestpoint	
Duplicateexists	Indication if duplicate exists
Noduplicatecount	Excluded from duplicate count
Wphsid	The id of the partner hotel
Remotedisplay	Indicates if the profile is displayed remotely

Note: The field XCMS_ORG_WPHS_ID can be added using screen painting functionality. This field contains the original ID of the partner hotel. It is filled when the profile is downloaded from the partner hotel, for manual changes it can be added using form customization.

Customer Profiles Partner Properties

From the Options menu on the customer profiles navigator, the following options are available from the partner properties:

- Remote HTML Compare - Use this option to compare the HTML file of the selected local profile with the remote profile html.
- Remote HTML Information - Select this option to view only the remote profile's html.
- Partner HTML's - Select this option to choose the HTML file for the selected profiles from the list of partner hotels.
- Remote match - This option can be used to match the remote profile, if the profile is already linked a corresponding message is displayed.
- Remote merge - This option can be used to match & merge the remote profile the merge screen is displayed.
- Remote merge log - Selecting Remote merge log displays the merge log file.
- Clear link to remote profile - This option can be used to clear the link with the remote profile.
- Remote difference - This option can be used to view the differences with the remote profile.

This option is used to match and merge profiles with the master and remote hotels.

It is possible to select one of the mentioned advanced search criteria, except duplicate and then press the MATCH button.

When pressing the match button, the profile filter selection dialog box for the remote match appears:

- Remote Match Console
- HTML compare to candidate
- Match and merge with candidate

Remote Match Console

Statistics		
	Number	Percentage
Matched	383	97.21
Candidate found	0	0.00 ↓
Not matching	11	2.79
Not processed	0	0.00
Upload	11	2.79 ↓
No upload	0	0.00
More matches	0 ↓	?

Point calculation actions

- Calculate point where empty
- Recalculate zero points
- Recalculate every point
- Clear zero points
- Clear every point
- Maximum duplicate point
- 0

Select match setup

Profile actions

- Match and merge
- Match and merge over limit
- Upload
- Max. match limit: 1,200
- Min. upload limit: 1,200
- Merge rules

Refresh Profile filter: Every profile Close

Remote Match Console dialog box

Field	Definition
Statistics	
Matched	The number and percentage of matched profiles
Candidate found	The number and percentage of potential duplicate profiles
Not matching	The number and percentage of profiles not matched
Not processed	The number and percentage of profiles not processed
Upload	The number and percentage of uploaded profiles
No upload	The number and percentage of not uploaded profiles
More matches	Select this option to filter Central match point not unique candidates
Point calculation actions	
Calculate point where empty	Pressing this button will search for profiles with no points
Recalculate zero points	Pressing this button will search for profiles where point calculation resulted in zero
Recalculate every point	Pressing this button search for all profiles
Clear zero points	Will clear all point calculation for profiles where the point calculation resulted in zero
Clear every point	Will clear all point calculation
Maximum duplicate point	Selecting this field allows entering the maximum duplicate points in the next field
Field for entering the maximum duplicate points	Enter a number of max points
Profile actions	
Match and merge	Pressing this button will match and merge the filtered profiles

Match and merge over limit	Pressing this button allows entering a minimum match number and processing match and merge for the filtered profiles
Upload	
Max. match limit	Defines the max match limit points
Min. upload limit	Defines the min match limit points
Merge rule	Pressing this button allows viewing the profile merge rules
Refresh	Press this button to refresh the remote match console with the profile filter
Profile filter	Defines the filter for profiles: Selected Filtered Every Profile
Close	Select Close to exit the remote match console dialog box

If errors occur during progress, the progress bar displays the number of errors and at the end of the progress the error log is displayed. Under Customer Profiles → Profile search, clicking on the red rectangle allows viewing all errors.

Note: When performing manual profile match, search is performed only for profiles with the same Profile type, if a different internal profile type is used in the master and the partner, profiles can not be linked. Under Configuration → Miscellaneous → Partner Hotels → Setup Translation, using the AUTOMATIC button for Profile types, will not link items with a different internal category and automatic translation match by short description will neither translate items if the profile type is different.

Merge

The profile merge screen opens the profiles in a target and source side. The profiles are compared at the following levels each represented by a tab:

- Details
- Address
- Communications - the merge routine takes into consideration both the communication by ID and the communication type.
- Notes
- Linked profiles
- Attributes
- Ratecodes
- Preferences
- Activities
- Membership
- Documents

Merge Profile dialog box

Button	Definition
HTML compare	Press this button to compare the Profiles in HTML view
Data rule merge	Defines the merge rule used. Currently only Full merge should be used
Merge rules	Displays the fields for the merge of the profile
Differences	Select this field to display differences of the profiles in red
Select other side	Select this field to select the same field on the other side
Reverse	Press this button to switch target and source profiles
Merge	Select this button to activate merge
Save	Press this button to save and close the screen settings
Cancel	Press this button to cancel merge
Copy to right	Select a row on the left and press this button to copy the selected information to the right
Copy to left	Select a row on the right and press this button to copy the single row to the left
Copy all to right	Press this button to copy all information to the right side
Copy all to left	Press this button to copy all information to the left side

Note: Items marked as DON'T TRANSFER in the translation setup of the selected property in the master are indicated with an X highlighted grey on the remote profile merge dialog box. It is not possible to merge these items, however the difference is indicated.


CRM Duplicates

Duplicate functionality is used to find, match and merge duplicate profiles.

Use advanced query to enter selection criteria and click the **DUPLICATE** button to access the duplicate console or select duplicate console without filtering profiles. The selection criteria dialog box for the duplicate console appears:

- Duplicate Console - displays the duplicate console.
- View last merged profile - only available after a profile has been merged. Allows the last merged profile to be viewed in HTML format.
- Pot Duplicate - select this option to view the sub grid with potential duplicate profiles.


Duplicate Console




Duplicate console dialog box

Field	Definition
Statistics	This section lists the profiles and percentage to the total number of profiles found for possible duplicates
Duplicate found	The number and percentage of profiles considered as possible duplicates
No duplicate	The number of profiles and percentage marked as being not a duplicate profile
Remaining	The number of remaining profiles
Point calculation actions	The search action taken according to the profile match set point set up
Search for not processed profiles	Press this button to search for not processed profiles
Search for profiles with no duplicates	Press this button to activate search for profiles marked as not duplicate
Search for all	Press this button to search for all profiles within the Profile filter

Clear where no duplicate found	Press this button to clear the duplicate information. When searching for potential duplicate profiles all profiles get marked as being a duplicate or being no duplicate profile. Using this button will clear the information. Please note that once this information is cleared, it is not possible to identify the profile as processed
Clear all	Press this button to clear all filters
Clear below limit	Press this button to clear all profiles from the filter as being below limit
Limit	Enter a limit for the profiles to be cleared from the filter when pressing 'clear below limit'
Match point setup	Select this option to access the match point setup configuration. See: Setup → Configuration → Miscellaneous → Profile Match Point Setup for more details.
Profile actions	The profile merge action
Merge over limit	
Limit	Defines the limit used for the merge process
Refresh	Press this button to refresh the screen for example when changing the profile filter
Profile filter	Displays the applied profile filter for the actions. Following choices are available: Selected- the selected profiles Filtered - all profiles to which the advance query applies Every profile- all profiles

 This option is controlled by the parameter Enable duplicate search under Setup → Configuration → Global Settings → Profile 1 tab.

 Duplicates functionality is controlled by the user right Profile duplicate search under Setup → Configuration → Users → User Definition → Rights → Customer Profiles.

Note: When using Suite8 Central functionality, this option has to be run before synchronising profiles with the master.

Remote Profile Search

From the customer profile search navigator, select REMOTE SRC to activate remote profile search. The following dialog box will open:

Remote search can be automated with the flag SEARCH REMOTE ON PROFILES GRID. For each profile query, remote search is activated. Automated search can be deactivated on the customer profiles navigator by selecting the field DISABLE REMOTE SEARCH. This is only available at partner hotels.

HTML Files

It is possible to check the type of guest when requesting remote html files.

Checks are performed on:

- remoteprofile_ind.htm
- remoteprofile_comp.htm
- centralprofile_ind.htm
- centralprofile_comp.htm

If one of the files exist the following suffixes for centralprofile.htm (.qry) and remoteprofile.htm (.qry) can be used:

'cmp', 'ta', 'src', 'ind', 'ven', 'mp' (each represents one customer internal category (Profile type) (xcca_internalcategory)

The suffixes can be separated with '_'

For Example:

remoteprofile_cmp.htm

remoteprofile_cmp.qry

centralprofile_ta.html

This functionality is also available for local html files. The naming convention such as 'usr_xy_companyprofile_ta.htm' can still be used. If a file with a certain suffix is not found, for example on companies, the search will be done on '_cmp' suffix; if there is no result the search will be performed without prefix.

4 Fidelio Server - Activity Log



The following activities are recorded in the server activity log for Fidelio Server:

- Suite8 Central Profile sync
- CRS Configuration sync
- CRS Item sync

The last 10 successful and unsuccessful entries are kept.

If CRS is installed in the property then Suite8 prompts a warning window after login if there is no successful log entry within the defined number of hours for each activity.

The CRS monitoring dialog also shows the status 'Warning' for properties that have no successful log entry within the defined number of hours.

-  The number of hours after which a warning message is displayed is defined via the option Fidelio server activity warning (hours) under Setup → Configuration → Global Settings → Generic → Generic 3 tab.
-  The deactivation of the display of the warning message for users is controlled by the parameter Disable warning for users under Setup → Configuration → Global Settings → Generic → Generic 3 tab.

C

<i>Configuration</i>	
<i>Hotel Connector</i>	9

H

<i>Hotel Connector</i>	
<i>Configuration</i>	9
<i>Licenses</i>	5
<i>Multiple Remote Reservation</i>	7
<i>Remote Availability</i>	7
<i>Remote Profiles</i>	5
<i>Single Remote Reservation</i>	7
<i>Statistic Upload</i>	7